



## SFI SPECIFICATIONS

SFI maintains a quality assurance program for a wide variety of automotive aftermarket and motorsports performance products. Some of these products have a defined service life or recertification period. The following list shows all SFI Specifications with their respective recertification periods. An item with a recertification period must be sent back to the original manufacturer at the end of this time frame for inspection. Recertification is at the discretion of the manufacturer. Please note that the recertification period is NOT the same as the retest period for manufacturers, which is a separate requirement that may be found in Section 9.0 of each individual specification document. Updated: July 17, 2019

| Spec | Product   | Current Revision Date                     | Recertification Period                   |
|------|---|---|--|
| 1.1  | Replacement Flywheels and Clutch Assemblies   | November 9, 2001                          | 2 Years                                  |
| 1.2  | Multiple Disc Clutch Assemblies for Vehicles with Naturally Aspirated Engines                       | February 9, 2006,<br>Edited Feb. 23, 2016 | 2 Years                                  |
| 1.3  | Nitro-Methane Drag Race Multiple Disc Clutch Assemblies   | May 23, 2000<br>Edited Feb. 23, 2016      | 1 Year                                   |
| 1.4  | Alcohol Drag Race Multiple Disc Clutch Assemblies   | May 23, 2000<br>Edited Apr. 11, 2008      | 1 Year                                   |
| 1.5  | Multiple Disc Clutch Assemblies for Supercharged, Nitrous Oxide-injected, and Turbocharged Vehicles | February 9, 2006<br>Edited Apr. 11, 2008  | 1 Year                                   |
| 2.1A | Rear Engine Dragster Roll Cage - 5.99 Seconds & Quicker (Alcohol or Methanol)                       | March 5, 2010                             | See Class Rules                          |
| 2.2C | Front Engine Dragster Roll Cage - 5.99 Seconds & Quicker  | March 5, 2010                             | See Class Rules                          |
| 2.3S | Rear Engine Dragster Chassis Structure (Top Fuel) – 4.99 Seconds & Quicker (Top Fuel)               | April 20, 2018                            | See Class Rules                          |
| 2.4C | Front Engine Dragster Roll Cage - 6.00 to 7.49 Seconds  | March 5, 2010                             | See Class Rules                          |
| 2.5C | Rear Engine Dragster Roll Cage - 6.00 to 7.49 Seconds   | March 5, 2010                             | See Class Rules                          |
| 2.6A | Front Engine Dragster Roll Cage - 7.50 Seconds & Slower   | March 5, 2010                             | See Class Rules                          |
| 2.7C | Rear Engine Dragster Roll Cage - 7.50 Seconds & Slower  | March 5, 2010                             | See Class Rules                          |
| 3.2  | Fire Protection Material (Technical Bulletin)   | February 26, 2014                         | N/A                                      |
| 3.2A | Driver Suits (3.2A/1, 3.2A/3, 3.2A/5)   | April 20, 2018                            | N/A                                      |
| 3.2A | Driver Suits (3.2A/10, 3.2A/15, 3.2A/20)  | April 20, 2018                            | 5 Years,<br>including the<br>year on tag |

| Spec                                    | Product   | Current Revision Date                   | Recertification Period  |
|---|---|---|---|
| 3.3                                     | Driver Accessories:<br>Arm Restraints<br>Shoes (3.3/5)<br>Drag Boots (3.3/15, 3.3/20)<br>Gloves (3.3/1, 3.3/5, 3.3/10, 3.3/15, 3.3/20)<br>Harness Pads<br>Helmet Supports<br>Helmet Skirts (3.3/5, 3.3/10)<br>Hoods/Balaclavas<br>Socks<br>Sports Bras<br>Underclothing | August 26, 2016<br>Edited Sept. 9, 2016 | N/A   |
| 4.1                                     | Automatic Transmission Shields (Rigid Type)   | March 27, 2013                          | 5 Years   |
| 4.1                                     | Automatic Transmission Shields (Flexible-Blanket Type)  | March 27, 2013                          | 2 Years   |
| 4.2                                     | Tractor Blankets  | October 26, 1994                        | 5 Years   |
| 6.1                                     | Containment Bellhousing for SFI 1.1 & 1.2 Clutch Assemblies for limited normally aspirated applications, and forced induction applications with torque converters   | August 26, 2016                         | 5 Years or as specified by manufacturer - per sanctioning body rules (check sticker on bellhousing) |
| 6.1W<br>(section found within Spec 6.1) | Passenger Car Replacement Containment Bellhousing with Adjustable Clutch Window for SFI 1.1 & 1.2 Clutch Assemblies for limited normally aspirated applications, and forced induction applications with torque converters   | August 26, 2016                         | 2 Years or as specified by manufacturer - per sanctioning body rules (check sticker on bellhousing) |
| 6.2                                     | Containment Bellhousing for SFI 1.3 & 1.4 Clutch Assemblies for Nitro-methane, Top Alcohol, and heavy-duty tractor applications.  | May 11, 2015                            | 2 Years or as specified by manufacturer - per sanctioning body rules (check sticker on bellhousing) |
| 6.3                                     | Containment Bellhousing for SFI Clutch Assemblies for supercharged and nitrous-oxide applications   | August 26, 2016                         | 2 Years or as specified by manufacturer - per sanctioning body rules (check                         |

| Spec  | Product   | Current Revision Date                   | Recertification Period  |
|-------|---|---|-------------------------|
|       |   |   | sticker on bellhousing) |
| 7.1   | Lower Engine Containment Device                                 | February 13, 1998                       | 1 Year                  |
| 7.2   | Sportsman Lower Engine Containment Device                       | December 15, 2006                       | 5 Years                 |
| 8.1   | Remote Fuel System Drive Assembly                               | November 12, 2002                       | N/A                     |
| 9.1   | Sport Compact Bellhousing Blanket                               | December 6, 2002                        | 5 Years                 |
| 10.1E | Funny Car Roll Cage (Alcohol, Advanced ET, etc.)                | December 9, 2004                        | See Class Rules         |
| 10.2  | Altered Car Roll Cage, 6.00 to 7.49 Seconds E.T.                | June 13, 2003                           | See Class Rules         |
| 10.3  | Altered Car Roll Cage, 7.50 Seconds and Slower E.T.             | June 13, 2003                           | See Class Rules         |
| 10.4  | Side Steer Roadster Roll Cage, 7.50 Seconds and Slower E.T.     | December 9, 2004                        | See Class Rules         |
| 10.5A | Fuel Funny Car Chassis, 4.99 Seconds E.T. & Quicker             | October 31, 2013<br>Edited Oct. 1, 2014 | See Class Rules         |
| 11.1  | Cable Break Away Devices  | July 9, 2001                            | N/A                     |
| 14.1  | Supercharger Restraint Devices                                  | January 29, 1992                        | 2 Years                 |
| 14.2  | Alcohol Supercharger Restraint Devices                          | May 1, 2008                             | 2 Years                 |
| 14.21 | Screw-Type Supercharger Restraint Devices                       | February 26, 2014                       | 2 Years                 |
| 14.3  | Nitro-Methane Fuel Supercharger Restraint Devices               | August 25, 2017                         | 2 Years                 |
| 14.4  | Containment Valve Covers/Valve Cover Shields                    | March 23, 2004                          | 2 Years                 |
| 14.5  | Manifold Blankets   | August 29, 2014                         | 2 Years                 |
| 14.6  | Engine Blankets – Rear  | March 16, 2015                          | 2 Years                 |
| 14.8  | Nitro-Methane Fuel Supercharger Restraint Strop Engine Brackets | April 19, 2019                          | 2 Years                 |
| 15.1  | Drag Race Drive Wheels  | March 8, 2019                           | N/A                     |
| 15.2  | Drag Race Front Wheels  | March 8, 2019                           | N/A                     |

| Spec   | Product   | Current Revision Date                 | Recertification Period               |
|--------|---|---------------------------------------|--------------------------------------|
| 15.3   | High Horsepower Drag Race Drive Wheels  | March 8, 2019                         | 2 Years                              |
| 15.4   | Top Fuel and Funny Car Drag Race Drive Beadlock Wheels  | March 8, 2019                         | 1 Year                               |
| 16.1   | Driver Restraint Assemblies   | February 26, 2014                     | 2 Years                              |
| 16.2   | Restraint Assemblies for Youth Drivers  | February 26, 2014                     | 2 Years                              |
| 16.5   | Stock Car Driver Restraint Assemblies   | December 29, 2014                     | 2 Years                              |
| 16.6   | Advanced Motorsport Restraint Assemblies  | April 20, 2018                        | 2 Years                              |
| 17.1   | On Board Fire Suppression Systems   | April 20, 2018                        | 2 Years<br>(6 Year Max Service Life) |
| 17.2   | Single Seat Open Wheel Rear Engine On Board Fire Suppression Systems  | April 19, 2019                        | 2 Years<br>(6 Year Max Service Life) |
| 18.1   | Crankshaft Hub Harmonic Dampers   | June 17, 1999<br>Edited Feb. 23, 2016 | N/A                                  |
| 20.1/1 | Go-Kart Chest Protector, Youth Driver 5-8 Years Old   | July 26, 2010                         | N/A                                  |
| 20.1/2 | Go-Kart Chest Protector, Youth Driver 9-12 Years Old  | July 26, 2010                         | N/A                                  |
| 21.1   | Power Turbine Containment Device  | May 23, 2000                          | 2 Years                              |
| 22.1   | Supercharger Drive Chain Containment Device   | October 25, 2004                      | N/A                                  |
| 23.1   | Supercharger Pressure Relief Assemblies   | May 1, 2008                           | 2 Years                              |
| 24.1   | Youth Helmets   | March 27, 2013                        | N/A                                  |
| 25.1H  | Full Bodied Car Tube Chassis Roll Cage –<br>7.49 Seconds ET and Quicker; 2,800 Lbs. Maximum   | May 5, 2018                           | See Class Rules                      |
| 25.2C  | Full Bodied Car Tube Chassis Roll Cage –<br>6.00 to 7.49 Seconds ET; 3,200 Lbs. Maximum   | May 5, 2018                           | See Class Rules                      |
| 25.3C  | Full Bodied Car with Aftermarket Body Shell and Tube Frame,<br>OEM Body Shell and OEM Frame with OEM or Modified<br>Floorpan and Firewall, or Uni-Body with OEM or Modified<br>Floorpan and Firewall Roll Cage –<br>6.50 to 7.49 Seconds ET; 3,600 Lbs. Maximum | May 5, 2018                           | See Class Rules                      |
| 25.4C  | Full Bodied Car Tube Chassis Roll Cage –<br>7.50 to 8.49 Seconds ET; 3,600 Lbs. Maximum   | May 5, 2018                           | See Class Rules                      |

| Spec  | Product   | Current Revision Date                   | Recertification Period     |
|-------|---|---|----------------------------|
| 25.5D | Full Bodied Car Stock or Modified/OEM Floorpan and Firewall with OEM Frame or Uni-Body Construction – 7.50 to 8.49 Seconds ET; 3,600 Lbs. Maximum         | May 5, 2018                             | See Class Rules            |
| 25.6  | Full Bodied Car Stock / Truck or Modified/OEM Floorpan and Firewall with OEM Frame or Uni-Body Construction – 7.99 to 8.49 Seconds ET; 5,000 lbs. Maximum | August 26, 2016<br>Edited Sep. 28, 2016 | See Class Rules            |
| 27.1  | Window Nets   | October 11, 2006                        | 2 Years                    |
| 28.1  | Fuel Cells  | August 25, 2017                         | 5 Years +<br>2 Year Recert |
| 28.2  | Crash Resistant Fuel Cells  | July 14, 2000                           | N/A                        |
| 28.3  | Competition Fuel Cell Bladder   | April 21, 2014                          | 5 Years                    |
| 29.1  | Automatic Transmission Flexplates   | August 26, 2016                         | 3 Years                    |
| 29.2  | High Horsepower Automatic Transmission Flexplates   | August 26, 2016                         | 3 Years                    |
| 29.3  | Automatic Transmission Flexplates for Diesel Applications   | February 26, 2014                       | 3 Years                    |
| 30.1  | Automatic Transmission Flexplate Shields  | June 17, 1999                           | 5 Years                    |
| 31.1  | Flame Resistant Motorsports Helmets   | March 27, 2013                          | N/A                        |
| 32.1  | Stock Car Fuel Cell Bladder   | March 24, 2009                          | 5 Years                    |
| 32.2  | Stock Car Fill/Vent Check Valve   | March 24, 2009                          | N/A                        |
| 34.1  | Screw-Type Superchargers  | January 29, 2002                        | 3 Years                    |
| 35.1  | Stock Car Steel Wheels  | August 26, 2008                         | 5 Years                    |
| 35.2  | Heavy Duty Stock Car Steel Wheels   | December 29, 2014                       | 5 Years                    |
| 36.1  | Drag Boat Capsule Shell Material  | February 12, 2002                       | 2 Years                    |
| 36.2  | Drag Boat Capsule Canopy Material   | February 12, 2002                       | 2 Years                    |
| 36.3  | Drag Boat Capsule Roll Cage   | January 30, 1997                        | N/A                        |
| 37.1  | Roll Cage Nets  | October 11, 2006                        | 2 Years                    |

| Spec | Product   | Current Revision Date | Recertification Period     |
|------|---|-----------------------|----------------------------|
| 38.1 | Head and Neck Restraint Systems                                       | March 16, 2015        | 5 Years                    |
| 39.1 | Stock Car Type Racing Seats (Custom)                                  | March 16, 2015        | 2 Years                    |
| 39.2 | Racing Seats (Standard)   | August 25, 2017       | 2 Years                    |
| 40.1 | Abrasion Resistant Driver/Rider Suits                                 | November 4, 1993      | N/A                        |
| 41.1 | Motorsports Helmets   | March 27, 2013        | N/A                        |
| 42.1 | Steering Wheel Quick Disconnect/Release                               | February 15, 1996     | N/A                        |
| 43.1 | Drive Shafts  | August 25, 2017       | N/A                        |
| 44.1 | Stock Car Wheel Spacers   | August 11, 2005       | 5 Years                    |
| 45.1 | Roll Cage Padding   | August 11, 2005       | N/A                        |
| 45.2 | Impact Padding  | March 27, 2013        | N/A                        |
| 46.1 | Nitro-Methane Fuel Motorcycle Engine Restraint Device                 | February 13, 1998     | 2 Years                    |
| 47.1 | Driver Roll Cage for Use on 7,000 lbs. To 10,000 lbs. Tractors        | June 26, 1998         | See Class Rules            |
| 47.2 | Driver Roll Cage for Use on Tractors, less than 6,000 lbs.            | June 26, 1998         | See Class Rules            |
| 47.3 | Driver Roll Cage for Use on "Mini-Rod" Tractors, less than 2,000 lbs. | June 26, 1998         | See Class Rules            |
| 48.1 | Shift Boot Cover  | July 19, 2007         | See Sanctioning Body Rules |
| 49.1 | Top Fuel Rear Wing Assemblies   | March 22, 2011        | 1 Year                     |
| 49.2 | Top Fuel Front Wing Assemblies  | March 22, 2011        | 1 Year                     |
| 52.1 | Fueler Apron  | June 5, 2012          | N/A                        |
| 54.1 | Non-Flammable Thermal Barrier Fire Extinguishing Coatings             | January 17, 2008      | Annual Recoating           |
| 55.1 | NASCAR-Type Tethers   | March 24, 2009        | N/A                        |

| Spec | Product                                     | Current Revision Date | Recertification Period |
|------|---|-----------------------|------------------------|
| 56.1 | Dashboard and Other Carbon Fiber Components | February 26, 2014     | N/A                    |
| 61.1 | Turbochargers                               | April 20, 2018        | 2 Years                |